EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("7,076491").PN.	USPAT; USOCR	OR	OFF	2008/04/24 16:24
L2	0	file$3 with array-typ$3 same user$3 same home with controll$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:29
L3	0	file$3 with array with typ $3 same user$3 same home with controll$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:30
L4	3	file$3 with array with typ $3 same user$3 & home with controll$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:31
L5	21	file$3 with array with (generat$3 or controll $3) same user$3 & applianc$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:34
L6	320	file$3 with array with (generat$3 or controll $3) same user$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:38
L7	25	(file$3 with array with (generat$3 or controll $3) same user$3).AB.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:39
L8	2	("20050033900").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:42

L9	2	("6789040").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:44
L10	0	9 & (file$3 with array with (generat$3 or controll$3) same user $3).AB.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:48
L11	0	9 & (file$3 with array with (generat$3 or creat $3) same user$3).AB.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:48
L12	0	9 & (file$3 with array with (generat$3 or creat $3) same user$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:48
L13	25	(file$3 with array with (generat$3 or controll $3) same user$3).AB.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:49
L14	27	(file$3 with array with (generat$3 or creat$3) same user$3).AB.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:49
L15	58	(file$3 with array with (generat$3 or creat$3 or built$3) same user$3) & home$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:54
L16	217	(file$3 near6 array with (generat$3 or creat$3 or built$3) same user$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:59

L17	76	(file$3 near6 array with (generat$3 or creat$3 or built$3) with user$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 17:00
L18	22	(file$3 with array with (generat$3 or creat$3 or built$3) same user$3) & appliance$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 17:04
L19	22	(file$3 with array with (generat$3 or creat$3 or built$3) same user$3) & appliance$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 17:04
L20	141	(file$3 with array with (generat$3 or creat$3 or built$3) same user$3) & manufacture$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 17:07
L21	24	(file$3 with array with (generat$3 or creat$3 or built$3) same user$3) same manufacture$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 17:07
L22	88	(file$3 near6 array with (generat$3 or creat$3 or built$3) same user$3) & manufacture$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 17:11
L23	40	(file$3 near6 array with (generat$3 or creat$3 or built$3) same user$3 with input$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 17:12
L24	0	(709/310).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:18

L25	1043	(719/310).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:19
L26	7287	(709/223).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:19
L27	0	26 & (file$3 near6 array with (generat$3 or creat$3 or built$3) same user$3 with input$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:19
L28	25	6 & (file$3 with array with (generat$3 or controll$3) same user$3).AB.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:19
L29	0	25 & (file$3 near6 array with (generat$3 or creat$3 or built$3) same user$3 with input$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:20
L30	0	26 & (file$3 near6 array with (generat$3 or creat$3 or built$3) same user$3 with input$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:20
L31	0	25 & (file$3 with array with (generat$3 or creat$3 or built$3) same user$3) & appliance$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:20
L32	0	26 & (file$3 with array with (generat$3 or creat$3 or built$3) same user$3) & appliance$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:20

L33	0	25 & (file$3 with array with (generat$3 or controll$3) same user $3).AB.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:20
L34	1	26 & (file$3 with array with (generat$3 or controll$3) same user $3).AB.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:20
L35	1	25 & (file$3 with array with (generat$3 or creat $3 or built$3) same user $3) & manufacture$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:21
L36	3	26 & (file$3 with array with (generat$3 or creat $3 or built$3) same user $3) & manufacture$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:21
L37	155	26 & (file$3 with (generat$3 or creat$3 or built$3) same user$3) & appliance$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:21
L38	535	26 & (file$3 with (generat$3 or creat$3 or built$3) with user$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:22
L39	155	26 & (file$3 with (generat$3 or creat$3 or built$3) same user$3) & appliance$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:22
L40	1	26 & (file$3 with array with (generat$3 or creat $3) same user$3).AB.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:22

L41	0	25 & (file$3 with array with (generat$3 or creat $3) same user$3).AB.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:22
L42	1	25 & (file$3 with array with (generat$3 or creat $3) same user$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:22
L43	4	26 & (file$3 with array with (generat$3 or creat $3) same user$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:22
L44	84	25 & (file$3 with (generat$3 or controll $3) same user$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:23
L45	151	25 & (file$3 SAME (generat$3 or controll $3) same user$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:23
L46	81018	(file$3 SAME (generat $3 or controll$3) same user$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:24
L47	42723	(file$3 WITH (generat $3 or controll$3) same user$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:24
L48	100873	(file$3 WITH (generat $3 or controll$3) & user $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:24

L49	224	25 & (file$3 WITH (generat$3 or controll $3) & user$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:25
L50	1354	26 & (file$3 WITH (generat$3 or controll $3) & user$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:25
L51	1	26 & (file$3 near6 array same user$3 with input $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:25
L52	0	25 & (file$3 near6 array same user$3 with input $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:26
L53	64	25 & (file$3 same user $3 with input$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:26
L54	419	26 & (file$3 same user $3 with input$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:26
L55	0	25 & (file$3 near6 array with (generat$3 or creat $3 or built$3) same user $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:27
L56	3	26 & (file$3 near6 array with (generat$3 or creat $3 or built$3) same user $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:27

L57	224	25 & (file$3 WITH (generat$3 or controll $3) & user$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:28
L58	63	26 & (FILE$3 WITH (generat$3 or controll $3) SAME user$3 SAME different$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:29
L59	10	25 & (FILE$3 WITH (generat$3 or controll $3) SAME user$3 SAME different$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:29
L60	20	25 & (FILE$3 same (generat$3 or controll $3) SAME user$3 SAME different$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:29

4/24/2008 6:30:05 PM
C:\ Documents and Settings\ ltruong3\ My Documents\ EAST\ Workspaces\ 11849121.wsp